Final Measurement Worksheet

BCC Specialty Shape Blinds

Phone Number:	Company Name:	
Ship To Address:	Contact Name:	
	Customer S/M:	
	Total # of Blinds:	
Room Location:	Drawing w/ F	inal Measurements & Other Instructions
Window Shape: Material Brand, Type & Product Number:		
Transfer Estates, 1) po est 1 court transfer		
Window Frame Depth Where blind will mount:		
Template Taken: Yes No		
Mount: Inside Mount / Outside Mount		
Width: Length:		
***IMPORTANT: Provide overall finished size, including pocket	ts.	
Motor Location: L R		
Motorized Power: Reloadable Battery	Transformer (20 foot standard)	Rechargeable Battery
Rechargeable Battery Charging Options:	Single Charger	Solar Charger
Motorized Control (white is standard):	Remote Control	Wireless Wall Switch
Room Location:	Drawing w/ F	rinal Measurements & Other Instructions
Window Shape:		
Material Brand, Type & Product Number:		
Window Frame Depth Where blind will mount:		
Template Taken: Yes No		
Mount: Inside Mount / Outside Mount		
Width: Length: ***IMPORTANT: Provide overall finished size, including pocket	ets.	
Motor Location: L R		
Motorized Power: Reloadable Battery	Transformer (20 foot standard)	Rechargeable Battery
Rechargeable Battery Charging Options:	Single Charger	Solar Charger
Motorized Control (white is standard):	Remote Control	Wireless Wall Switch
Signature:		BCC Specialty Shape Blinds

Measuring & Templates

- Inside mount is recommended. The use of multiple blinds within one common window frame, such as two angled blinds forming a pentagon, is not available.
- Templates may be required for Arched, Octagon, Hexagon and Parallelogram window shapes.
 Templates are not necessary for most Angled window shapes. Refer to the Templates &
 Measuring section and the Template Checklist for details.
- Mail the original template and/or measuring sheets to:

BCC Specialty Shape Blinds

8400 East Iliff Ave, Unit 14 Denver, CO 80231

Email: bcc@bccspecialties.com

Templates Step by Step

- Determine where blind will mount. Inside mount is recommended and is required on certain shapes.
- Tape butcher paper with no folds or creases to the area where blind will fit allowing for overlap of paper.
- · Position paper smooth and taut.
- · Trace the outline of the window.
- While paper is still taped into position, use a carpenter's level to trace a level line onto the template within the dimensions of the window.
- · Remove and cut the paper along the traced lines.
- Once the template is cut, test by placing it in the window opening.
- Mark all shade dimensions on the template (use the Template Checklist).

Note: When a window has a curve at the top with "straight legs," only the curve and a portion of the straight legs require a template, not the entire window.

Templates Checklist


A template may be required for all Arched, Octagon or Hexagon windows. A template is not required for Standard and Non-Standard Angled Blinds.


Instructions: Always write on the "room side" of the template. Include company name, telephone number & key contact as well as the customer sidemark. The following information is required on the template:

- Window Locator (Living Room Left, etc.).
- Mark a Level Line toward the top of the template.
- Write "top" at the top of the template.
- · Width.
- Length at longest point.
- Inside Mount (always recommended) or Outside Mount.
- Amount of Window Frame Depth (where blind will mount).
- · Control Side (Left or Right).
- Cord Length.

Angled Blind Measuring

A template is not required for Standard and Non-Standard Angled Blinds. Include measurements for each side of the window, and the length at the longest point.





Final Measurement Worksheet

Date:

BCC Specialty Shape Blinds

Phone Number:	Company Name:
Ship To Address:	Contact Name:
	Customer S/M:
	Total # of Blinds:
Room Location: Bedroom Window Shape: Trapezoid Material Brand, Type & Product Number:	Drawing w/ Final Measurements & Other Instructions
Applause Double Cell E5-403	
Window Frame Depth Where blind will mount: 4 inches	33 5/8··
Template Taken: Yes No Mount: Inside Mount Outside Mount	29 1/4"
Width: 28 1/2 Length: 29 1/4 ***IMPORTANT: Provide overall finished size, including pockets.	28 1/2"
Motor Location:	
Motorized Power: Reloadable Battery	Transformer (20 foot standard) Rechargeable Battery
Rechargeable Battery Charging Options:	Single Charger Solar Charger
Room Location: Living Room Window Shape: Arch	Remote Control Wireless Wall Switch Drawing w/ Final Measurements & Other Instructions
Material Brand, Type & Product Number: Duette Architella Classic Semi-Opaque c50 Daisy White	
Window Frame Depth Where blind will mount: 4 inches	
Template Taken: Yes No	23 3/8" 23 3/8"
Mount: Inside Mount / Outside Mount	
Width: 47 1/8 Length: 35 1/2 ***IMPORTANT: Provide overall finished size, including pockets	47 1/8"
Motor Location:	
Motorized Power: Reloadable Battery	Transformer (20 foot standard) Rechargeable Battery
Rechargeable Battery Charging Options:	Single Charger Solar Charger
Motorized Control (white is standard):	Remote Control Wireless Wall Switch
Signature:	BCC Specialty Shape Blinds